۰	۰	•	۰	٠	0	۰	۰	۰	٠	۰	0	۰	۰	٠	0	۰	٠	0	٠	0
0	۰	٥	0	0	o	٥	۰	0	۰	٥	0	Ż				17			R	٥
0	۰	۰	0	۰	0	۰	٠	٠	۰	۰	0									٠
												VEN	NTILA		1&1	ΗΕΑΤ	REC	ΟVΕ	RY	
0	٠	٠	۰	٠	٠	٠		٠	٠	0	۰	٠	٠	٠	0	۰	۰	۰	٠	۰
	۰	•	0	•		٥		•	•	٠	•	•	۰			0	0		•	
0	٠	۰	•	۰	۰	٠	٠	۰	۰	۰	۰	•	٠	۰	٠	۰	۰	٠	۰	•
۰	Ē				Ċ	•	°	•			•	•	۰	۰	۰	0	0	0	0	0
٠	•	ノ	K			•	٠	•		>	•	0	۰	٠	٠	٠	٠	٠	٠	٠
•				.							•	٠	۰	•	•	٥	٥		•	
			_	_ (7															
).().	1.2	K.	0	٠	٠	•	۰	۰	0	•	٠	0	۰	۰	۰	٠	
			0	۰	•				•	•	•				0	0	0	0	•	

M-WRG





۰	٠	۰	۰	۰	٥	۰	٠	٠	۰	۰	٥	۰	۰	۰	٠	٠	۰	0	۰	۰
0	۰	۰	0	٥	٥	۰	٥	٥	۰	٥	٥	۰	۰	٥	0	٥	۰	٥	٥	٥
0	٠	0	٥	٥	٥	0	٥	٥	0	٥	0	0	0	0	0	٥	0	0	0	٥
۰	٠	۰	۰	0	۰	٠	۰	۰	۰	۰	٥	٠	٠	۰	0	۰	۰	0	٠	۰
0	٠	0	٥	0	٥	0	٥	0	0	0	0	0	0	۰	0	0	0	0	۰	٠
0	•	•	0	0	0	0	0	0	0	0	0							WAY		•

K

٠	٠	٥	٠	0	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	0	٠	•
•	٠	٠	٠	٠	٥	۰	٥	٠	٠	٠	٠	٠	•	•	•	•	٠	٥	•

Table of contents	
M-WRG SERIES	
UNITS	
UNIT ACCESSORIES	б
INSTALLATION ACCESSORIES	surface-mount/flush-mount
INSTALLATION ACCESSORIES	2-room solution with flexible pipe system
INSTALLATION ACCESSORIES	2-room solution with flat ductwork system9
INSTALLATION ACCESSORIES	window reveal solution
INSTALLATION ACCESSORIES	U ² 11
ACCESSORIES	flexible pipe system
ACCESSORIES	round pipe & flat ductwork system
OUTER WALL TERMINALS	
REPLACEMENT FILTERS	



Part no.	Picture	Туре	Description	Price/each
STANDARD	UNITS (THREE VEN	TILATION LEVELS AND TIME-LIN	ITED INTENSIVE VENTILATION)	
5010		M-WRG-S	Standard unit with three ventilation levels and time- limited intensive ventilation or operation with wireless remote control, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: B Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	838.00 €
5016-1-0		M-WRG-S/Z-S	Standard unit, with 24V control voltage for connecting to a 3-position rotary switch (provided by the customer) or operation with wireless remote control, with external control input and integrated time-delay relay (air flow: 60 m³/h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: B Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	881.00 €
STANDARD	UNITS OPERATION	VIA INCONTROL PUSHBUTTON	SENSOR	
5016-1-1		M-WRG-S/Z-T	Standard unit for connecting to a 6-fold pushbutton sensor or operation with wireless remote control, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: B Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	881.00 €
5016-1-1-1		M-WRG-S/Z-T-F	Standard unit for connecting to a 6-fold pushbutton sensor or operation with wireless remote control, with humidity control, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: A Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	963.00 €
5016-1-1-2		M-WRG-S/Z-T-FC	Standard unit for connecting to a 6-fold pushbutton sensor or operation with wireless remote control, with humidity and mixed gas/CO2 control, with external control input and integrated time-delay relay (air flow: 60 m³/h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: A Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	1,129.00 €
INCONTRO	L PUSHBUTTON SE	NSOR		<u> </u>
5047-00		M-WRG-T/WS	6-fold pushbutton sensor with red LEDs, pure white	85.00 €
5047-10	• • • • • • • • • • • • • • • • • • •	M-WRG-T/ES	6-fold pushbutton sensor with red LEDs, stainless steel	107.00 €

This price list is valid from 01.01.2018 to 31.12.2018

Part no.	Picture	Туре	Description	Price/each
BUILDING	CONTROL SYSTEM	I UNITS		1
5016-2-2		M-WRG-S/Z-EIB	EIB standard unit for connecting to a KNX interface (interface not included) or operation with wireless remote control, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: B Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	925.00 €
5016-2-1		M-WRG-S/Z-24	Standard unit with 24V control voltage for central control e.g. via programmable controls (switches not included) or operation with wireless remote control, with external control input and integrated time-delay relay (air flow: 60 m³/h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: B Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	920.00 €
UNITS WIT	H OPERATION VIA	EIB / KNX		
5016-1-2		M-WRG-S/Z-KNX	Standard unit with KNX universal interface for connecting to a KNX bus or operation with wireless remote control, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: B Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	1,162.00 €
5016-1-2-1		M-WRG-S/Z-KNX-F	Standard unit with KNX universal interface for connecting to a KNX bus or operation with wireless remote control, with humidity control, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: A Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	1,244.00 €
5016-1-2-2		M-WRG-S/Z-KNX-FC	Standard unit with KNX universal interface for connecting to a KNX bus or operation with wireless remote control, with humidity and mixed gas/CO2 control, with external control input and integrated time-delay relay (air flow: 60 m³/h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: A Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	1,410.00 €
WIRELESS	REMOTE CONTRO	L (FOR ALL M-WRG UNITS)		
5478-10		M-WRG-FBH	Wireless remote control for all M-WRG units constructed from 2018 onwards (excluding types -S 485, -S 485-TF, -S 485-TFC), control and setting of unit-specific functions, in addition, it is possible to set unit parameters for all M-WRG units constructed from 2018 onwards (excluding types -S 485, -S 485-TF, -S 485-TFC), material: ABS-PC, colour: white / grey	147.00 €

This price list is valid from 01.01.2018 to 31.12.2018



Part no.	Picture	Туре	Description	Price/each
UNITS AND	O ACCESSORIES OPE	RATION VIA NETWORK (RS-485)		
5013		M-WRG-S 485	Standard unit, RS-485 network version, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: B Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	954.00 €
5014-1		M-WRG-S 485-TF	Standard unit, RS-485 network version with temperature/humidity sensors, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: A Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	1,035.00 €
5014-2	_	M-WRG-S 485-TFC	Standard unit, RS-485 network version with temperature/ humidity/mixed gas/CO2 sensors, with external control input and integrated time-delay relay (air flow: 60 m ³ /h, switch-on delay: 1 min, follow-up time: 15 min), material: ABS, colour: pure white similar to RAL 9010, energy efficiency class: A Please note: flush-mount installation requires an M-WRG flush-mount installation kit.	1,202.00 €
5040-03		M-WRG-SUM 3	Converter from RS-485 to USB, max. 250 WRG units per SUM 3 (mounted on DIN rail), including 2 m USB cable	179.00 €
5044-0		M-WRG-TCPC	Touchscreen PC with Windows operating system, material: plastic, colour: black	available upon request
5044-4-0		M-WRG-TCW	Wall bracket for touchscreen PC, material: aluminium, colour: aluminium	50.00€
5044-1		M-WRG-TCSL	Meltem Touch Control software basic licence	available upon request
5044-2		M-WRG-TCPROG	Software adaptation and commissioning of the RS-485 network on site	available upon request
5044-3		M-WRG-TCINST	Installation of the RS-485 network components. In consultation with us you will receive a detailed offer.	available upon request

saleaway 5310-00-01 Week 43/2017

This price list is valid from 01.01.2018 to 31.12.2018

Part no.	Picture	Туре	Description	Price/each
UNIT ACCI	ESSORIES			
5364		M-WRG-BR	Blind frame for standard installation, flush-mount installation (25 mm circumferential), material: ABS, colour: pure white similar to RAL 9010, not suitable for 2-room solution	11.00 €
5045-2		M-WRG-ABK-45	45° outlet bend, used for sill installation or if unit is positioned too close to the ceiling <150 mm, material: PS, colour: pure white similar to RAL 9010	26.00€
5430		M-WRG-SN	Protective cap for mains switch for units installed in protection zone II (IP-X4), for all M-WRG units, needs to be fitted at the factory	6.00 €
5046-00		M-WRG-O/PARM	Option: parameter settings for special air outputs for all M-WRG-S units, needs to be fitted at the factory	4.00 €
5046-10		M-WRG-O/NOF	Option: mains switch without function for all M-WRG units, needs to be fitted at the factory	4.00 €
5478-11		M-WRG-ALGH	Mobile operating hours reader, for all M-WRG units constructed from 2018 onwards	104.00€
5046-31		M-WRG-O/EST-1	Option: external control input with integrated time-delay (air flow: 60 m³/h, follow-up time: 15 min) for all M-WRG units, without switch-on delay, needs to be fitted at the factory	10.00€
5046-32		M-WRG-O/EST-2	Option: external control input with integrated time-delay (air flow: 60 m³/h, switch-on delay: 1 min) for all M-WRG units, without follow-up time, needs to be fitted at the factory	10.00 €
5046-50		M-WRG-O/Filter-FA	Option: replacement of standard filter M-WRG-FS with allergy filter M-WRG-FA (supply air only)	7.00€
5046-51		M-WRG-O/Filter-FK	Option: replacement of standard filter M-WRG-FS with activated charcoal filter M-WRG-FK (supply air only)	17.00 €
5370-1		M-WRG-DB/1	DESIGNframe, picture frame, option for M-WRG standard units, material: ABS, colour: pure white similar to RAL 9010	45.00 €
5370-2		M-WRG-DB/2	DESIGNframe, picture frame, retrofit kit option for M-WRG standard units, material: ABS, colour: pure white similar to RAL 9010	55.00 €
5370-3		M-WRG-DB/3	Front panel with smooth surface, option for M-WRG standard units, material: PS, colour: white 774 matt, can be painted with solvent-free paint	16.00 €



Part no.	Picture	Туре	Description	Price/each
INSTALLATI	ON ACCESSORIES			
STANDARD	INSTALLATION			
SURFACE-M	OUNT INSTALLATIO	DN		1
5062		M-WRG-M/AP	Surface-mount installation kit, consisting of drilling templates for unit and outer wall terminal stainless steel pod, including outdoor air and exhaust air pipe DN 100, 2 x 0.5 m	16.00 €
5322		M-WRG-BS	Surface-mount installation drilling template	5.00 €
FLUSH-MO	UNT INSTALLATION	FRAME CONSTRUCTION		
5050		M-WRG-M	Flush-mount installation kit for frame constructions	99.00 €
FLUSH-MO	UNT INSTALLATION	SOLID CONSTRUCTION		
5051		M-WRG-M/MB	Flush-mount installation kit with plastering trim for solid construction	107.00€
5045-5		M-WRG-M/LGK	Price supplement: flush-mount installation kit shortened - reduced installation depth, note minimum installation dimensions!	6.00€
5575-5		M-WRG-M/Fü	Filler piece installation kit for all flush-mount installation kits	8.00 €
5045-5-50		M-WRG-M/ FÜ-GK	Price supplement: filler piece shortened	6.00€
5060		M-WRG-PG	Plaster scrim for all flush-mount installation kits	6.00 €
5574		M-WRG-LR 50	Outdoor air and exhaust air pipe, DN 100, 2 x 0.5 m	11.00 €
5580		M-WRG-LR 100	Air pipe, DN 100, 1 x 1 m	11.00€

This price list is valid from 01.01.2018 to 31.12.2018

Part no.	Picture	Туре	Description	Price/each
INSTALLATION	ACCESSORIES			
2-ROOM SOLU	ITION WITH FLEX	IBLE PIPE SYSTEM		
FRAME CONS	TRUCTION			
5050-21/75	.	M-WRG-M/FR75/1	Flush-mount installation kit for frame construction with one adapter for 75 mm flexible pipe connection, please note: adapters are not fitted at the factory, but can be used interchangeably.	142.00 €
5050-21/63	•	M-WRG-M/FR63/1	Flush-mount installation kit for frame construction with one adapter for 63 mm flexible pipe connection, please note: adapters are not fitted at the factory, but can be used interchangeably.	142.00€
5050-22/75		M-WRG-M/FR75/2	Flush-mount installation kit for frame construction with two adapters for 75 mm flexible pipe connection, please note: adapters are not fitted at the factory.	170.00€
5050-22/63		M-WRG-M/FR63/2	Flush-mount installation kit for frame construction with two adapters for 63 mm flexible pipe connection, please note: adapters are not fitted at the factory.	170.00€
5056-50-01/75		M-WRG-M/FRA75	Adapter, 75 mm flexible pipe connection for flush-mount installation kit, frame construction (as replacement only)	35.00 €
5056-50-01/63		M-WRG-M/FRA63	Adapter, 63 mm flexible pipe connection for flush-mount installation kit, frame construction (as replacement only)	35.00 €
SOLID CONST	RUCTION			
5051-21/75		M-WRG-M/MB-FR75/1	Flush-mount installation kit for solid construction with one adapter for 75 mm flexible pipe connection, please note: adapters are not fitted at the factory, but can be used interchangeably.	150.00 €
5051-21/63		M-WRG-M/MB-FR63/1	Flush-mount installation kit for solid construction with one adapter for 63 mm flexible pipe connection, please note: adapters are not fitted at the factory, but can be used interchangeably.	150.00€
5051-22/75		M-WRG-M/MB-FR75/2	Flush-mount installation kit for solid construction with two adapters for 75 mm flexible pipe connection, please note: adapters are not fitted at the factory.	179.00 €
5051-22/63		M-WRG-M/MB-FR63/2	Flush-mount installation kit for solid construction with two adapters for 63 mm flexible pipe connection, please note: adapters are not fitted at the factory.	179.00 €
5056-51-01/75	~	M-WRG-MB/FRA75	Adapter, 75 mm flexible pipe connection for flush-mount installation kit, solid construction (as replacement only)	35.00 €
5056-51-01/63		M-WRG-MB/FRA63	Adapter, 63 mm flexible pipe connection for flush-mount installation kit, solid construction (as replacement only)	35.00 €
5365		M-WRG-KA/UP	Duct adapter for installation of 2-room solution when running flat ductwork or flexible pipe, flush-mount, for flush-mounted units, material: ABS, colour: pure white similar to RAL 9010	20.00 €
5056-10/75		M-WRG-DK 2x75/100	Ceiling box flexible pipe connection 2 x 75 mm on DN 100	30.00 €
5056-10/63		M-WRG-DK 2x63/100	Ceiling box flexible pipe connection 2 x 63 mm on DN 100	30.00 €

saleaway 5310-00-01 Week 43/2017

This price list is valid from 01.01.2018 to 31.12.2018



Part no.	Picture	Туре	Description	Price/each
INSTALLATIO	ON ACCESSORIES			
2-ROOM SO	LUTION WITH FLA	T DUCTWORK SYSTEM		
FRAME CON	ISTRUCTION			
5050-11	•	M-WRG-M/FK1	Flush-mount installation kit for frame construction with one adapter for flat ductwork connection 110 x 54 mm, please note: adapters are not fitted at the factory, but can be used interchangeably.	131.00 €
5050-12	•	M-WRG-M/FK2	Flush-mount installation kit for frame construction with two adapters for flat ductwork connection 110 x 54 mm, please note: adapters are not fitted at the factory.	148.00 €
5056-50-00		M-WRG-M/FKA	Adapter, flat ductwork connection 110 x 54 mm for flush-mount installation kit, frame construction (as replacement only)	22.00€
SOLID CON	STRUCTION			
5051-11	•	M-WRG-M/MB-FK1	Flush-mount installation kit for solid construction with one adapter for flat ductwork connection 110 x 54 mm, please note: adapters are not fitted at the factory, but can be used interchangeably.	140.00 €
5051-12	•	M-WRG-M/MB-FK2	Flush-mount installation kit for solid construction with two adapters for flat ductwork connection 110 x 54 mm, please note: adapters are not fitted at the factory.	156.00 €
5056-51-00		M-WRG-MB/FKA	Adapter, flat ductwork connection 110 x 54 mm for flush-mount installation kit, solid construction (as replacement only)	22.00€
5365		M-WRG-KA/UP	Duct adapter for installation of 2-room solution when running flat ductwork or flexible pipe, flush-mount, for flush-mounted units, material: ABS, colour: pure white similar to RAL 9010	20.00 €
5373		M-WRG-VS 110-IB	Interior cover for connection to a second room, extract air Dim.: 135 x 135 x 35 mm	16.00 €

saleaway 5310-00-01 Week 43/2017

This price list is valid from 01.01.2018 to 31.12.2018

Part no.	Picture	Туре	Description	Price/each
INSTALLAT	ION ACCESSORIES			
WINDOW	REVEAL SOLUTION			
5159		M-WRG-EFL/AP	Outer wall terminal for window reveal, surface-mount version, material: stainless steel 1.4301	106.00€
5160		M-WRG-EFL/AP-P	Outer wall terminal for window reveal, surface-mount version, material: stainless steel 1.4301, colour: white powder-coated (similar to RAL 9016)	123.00 €
5512-01		M-WRG-EFL/MHL	Assembly aid for window reveal	11.00 €
5574		M-WRG-LR 50	Outdoor air and exhaust air pipe, DN 100, 2 x 0.5 m	11.00 €
5590		M-WRG-FK-F	Flat ductwork 110 x 54 mm, 1 m long	7.00 €
5599	10 A File	M-WRG-BB	Butyl tape: W-50 mm, L-20 m/roll (one roll is sufficient for roughly 10 M-WRG units)	65.00 €
5579-10		M-WRG-RR-FK	Adapter 90°, DN 100 to flat ductwork 110 x 54 mm	11.00 €



Part no.	Picture	Туре	Description	Price/each
INSTALLATI	ON ACCESSORIES	•		
U ² FOR FUL	LY MOUNTING THE	M-WRG UNIT IN THE WALL*		
5052		M-WRG-M/MB-U ²	U ² flush-mount installation kit, with option for connecting flat ductwork and/or flexible pipe system	161.00 €
5052-10-02		M-WRG-U ² AD/WS	U² cover, material: steel sheet, colour: white powder-coated (similar to RAL 9010)	60.00 €
5052-90	00	M-WRG-U ² AK	U² adapter kit, needed to install the M-WRG units in the U² installation kit	16.00€
CONNECTI	ON ACCESSORIES U]2		
5591		M-WRG-FK-V	Flat ductwork connector 110 x 54 mm	3.00 €
5056-00/75		M-WRG-FRA75	Flexible pipe adapter for connecting 2 x 75 mm flexible pipes to flush-mount installation kit U ²	16.00 €
5056-00/63		M-WRG-FRA63	Flexible pipe adapter for connecting 2 x 63 mm flexible pipes to flush-mount installation kit U ²	16.00 €

* In principle may be installed in frame constructions, but this should be checked on site.

This price list is valid from 01.01.2018 to 31.12.2018

Part no.	Picture	Туре	Description	Price/each
ACCESSORI	ES			
FLEXIBLE P	IPE SYSTEM			
5056-10/75		M-WRG-DK 2x75/100	Ceiling box flexible pipe connection 2 x 75 mm on DN 100	30.00 €
5056-10/63		M-WRG-DK 2x63/100	Ceiling box flexible pipe connection 2 x 63 mm on DN 100	30.00€
5056-30/A	Ó	M-WRG-FR-TVA	Poppet valve, extract air, DN 100, material: steel, colour: white	25.00 €
5056-30/Z		M-WRG-FR-TVZ	Poppet valve, supply air, DN 100, material: steel, colour: white	25.00 €
5056-40/75		M-WRG-FR75	Flexible pipe 75 mm (OD: 75 mm, ID: 63 mm), 1 coil per pack = 50 linear m	445.00 €
5056-40/63		M-WRG-FR63	Flexible pipe 63 mm (OD: 63 mm, ID: 52 mm), 1 coil per pack = 50 linear m	408.00€
5056-41/75	\cap	M-WRG-FR-DR75	Flexible pipe sealing ring DN 75, 10 per pack	34.00€
5056-41/63	V	M-WRG-FR-DR63	Flexible pipe sealing ring DN 63, 10 per pack	40.00€
5056-42/75		M-WRG-FR-B75	Flexible pipe 90° bend DN 75	50.00€
5056-42/63		M-WRG-FR-B63	Flexible pipe 90° bend DN 63	50.00€
5056-43/75		M-WRG-FR-VM75	Flexible pipe connecting sleeve DN 75	8.00 €
5056-43/63		M-WRG-FR-VM63	Flexible pipe connecting sleeve DN 63	8.00 €
5056-31-00		M-WRG-LGR	Ventilation grid, round, DN 100, material: plastic, colour: white	3.00 €



Part no.	Picture	Туре	Description	Price/each
ACCESSOR	IES	1		
ROUND PI	PE & FLAT DUCTWO	ORK SYSTEM		
5579-10		M-WRG-RR-FK	Adapter 90°, DN 100 to flat ductwork 110 x 54 mm	11.00€
5580		M-WRG-LR 100	Air pipe, DN 100, 1 x 1 m	11.00 €
5581	0	M-WRG-RR-V	Pipe connector, DN 100	3.00 €
5582	Q	M-WRG-RR-B	90° pipe bend, DN 100, sleeve on both sides	7.00 €
5583	\bigcirc	M-WRG-RR-RH	Pipe holder, DN 100, without fixing materials, 2 per pack	4.00 €
5590		M-WRG-FK-F	Flat ductwork 110 x 54 mm, 1 m long	7.00 €
5591		M-WRG-FK-V	Flat ductwork connector 110 x 54 mm	3.00 €
5592		M-WRG-FK-B	Flat ductwork 90° bend, horizontal, sleeve on both sides	9.00 €
5593		M-WRG-FK-W	Flat ductwork 90° bracket, vertical, sleeve on both sides	7.00 €
5594		M-WRG-FK-Ü	Adapter, straight, DN 100 to flat ductwork 110 x 54 mm	8.00 €
5595		M-WRG-FK-FH	Flat ductwork holder 110 x 54 mm, without fixing materials	2.00 €
5375-00		M-WRG-FSA long	Fitting adapter, long, for connecting two flat ductwork fittings	3.00 €
5374		M-WRG-KA	Duct adapter for installation of 2-room solution when running flat ductwork, surface-mount, for flush-mount and surface-mount units, connection via fitting with sleeve or flat ductwork connector M-WRG-FK-V	12.00 €

Part no.	Picture	Туре	Description	Price/each
OUTER WA	LL TERMINALS			
5150		M-WRG-ES	Outer wall terminal stainless steel pod, material: stainless steel 1.4301	101.00 €
5150-1		M-WRG-ES/SD	Outer wall terminal stainless steel pod with increased noise protection, material: stainless steel 1.4301	118.00 €
5153-10		M-WRG-ES-PK	Outer wall terminal stainless steel pod, material: stainless steel 1.4301, colour: colourless matt powder-coated (R533-0092)	118.00 €
5153-11		M-WRG-ES-PK/ SD	Outer wall terminal stainless steel pod with increased noise protection, material: stainless steel 1.4301, colour: colourless matt powder-coated (R533-0092)	134.00 €
5153		M-WRG-ES-P	Outer wall terminal stainless steel pod, material: stainless steel 1.4301, colour: white powder-coated (similar to RAL 9016)	118.00 €
5153-1	_	M-WRG-ES-P/SD	Outer wall terminal stainless steel pod with increased noise protection, material: stainless steel 1.4301, colour: white powder-coated (similar to RAL 9016)	134.00 €
5152		M-WRG-ESR	Outer wall terminal stainless steel pipe set (2 x), material: stainless steel 1.4301, please note: wall terminal sets must not be installed on top of one another.	83.00 €
5154		M-WRG-ESR-P	Outer wall terminal stainless steel pipe set (2 x), material: stainless steel 1.4301, colour: white powder-coated (similar to RAL 9016), please note: wall terminal sets must not be installed on top of one another.	101.00 €
5155		M-WRG-ESR-RO	Outer wall terminal stainless steel pipe set (2 x) with rosettes, material: stainless steel 1.4301, please note: wall terminal sets must not be installed on top of one another.	102.00 €
5156		M-WRG-ESR-RO-P	Outer wall terminal stainless steel pipe set (2 x) with rosettes, material: stainless steel 1.4301, colour: white powder-coated (similar to RAL 9016), please note: wall terminal sets must not be installed on top of one another.	129.00 €
5163		M-WRG-ESG/AP	Outer wall terminal stainless steel, louvred design, surface-mount version, material: stainless steel 1.4301	103.00 €
5164		M-WRG-ESG/AP-P	Outer wall terminal stainless steel, louvred design, surface-mount version, material: stainless steel 1.4301, colour: white powder-coated (similar to RAL 9016)	120.00 €

This price list is valid from 01.01.2018 to 31.12.2018



Part no.	Picture	Туре	Description	Price/each		
REPLACEMI	ENT FILTERS (TWO A	AIR FILTERS REQUIRED PER UNIT)			
5571		M-WRG-FS	Standard filter (for supply and extract air), filter class G4	8.00 €		
5572		M-WRG-FA	Allergy filter (for supply air only), filter class F7	16.00€		
5573		M-WRG-FK	Activated charcoal filter (for supply air only), filter class M6	25.00 €		
REPLACEMI	REPLACEMENT FILTER FOR INTERIOR COVER M-WRG-VS 110-IB					
5373-10		M-WRG-IB-2FB	Dust filter for interior cover M-WRG-VS 110-IB, extract air, filter class G2, 5 per pack	8.00 €		

Meltem Wärmerückgewinnung GmbH & Co. KG Am Hartholz 4 · D-82239 Alling Tel.: +49 (0) 8141 / 40 41 79 - 0 Fax: +49 (0) 8141 / 40 41 79 - 9 info@meltem.com · www.meltem.com